

---

# COUNTERS PRODUCT RANGE

---

REFRIGERATED DISPLAY CABINETS



ENVIRONMENT FRIENDLY TECHNOLOGIES FOR STORES


# TECHNICAL INFORMATION

Length Options


3750	3125	2500	2200	1875	1250	937	625	OC 90	OC 45	OCC 90	OCC 45	OC90 RA	IC 90	IC 45	ICC 90	ICC 45
------	------	------	------	------	------	-----	-----	-------	-------	--------	--------	---------	-------	-------	--------	--------

Depth Options


INDUS




NORMA




LEO




ALYA



AK




BA




Feet Options

# TECHNICAL INFORMATION


MKU




MKD




SS




FG - MK SS




FG




AO



TB




D




# TECHNICAL INFORMATION


NORMA BL




NORMA HC AO




NORMA BAIN MARIE



NORMA DP AO





NORMA DP MK ADC



# TECHNICAL INFORMATION

IC 45 / MKU - MKD IC 45



ICC 45



	A	B	C	D
INDUS	1240	1453	812	1388
NORMA	1140	1353	770	1317
LEO	1040	1253	730	1247
ALYA	940	1153	688	1176

IC 90 / MKU - MKD IC 90



ICC 90



	A	B	C	D
INDUS	1240	1963	812	1625
NORMA	1140	1863	770	1542
LEO	1040	1763	730	1459
ALYA	940	1663	688	1376

OC 45

OCC 45






	A	B	C
INDUS	1240	1181	26
NORMA	1140	1181	96
LEO	1040	1181	167
ALYA	940	1181	237

OC 90

OCC 90

MKU - MKD OC 90



	A	B	C
INDUS	1240	1278	37
NORMA	1140	1278	137
LEO	1040	1278	237
ALYA	940	1278	337